



P02.61. Does Yogic Breathing (Pranayama) Improve Cardiovascular Control?

Citation

Bertisch, S., C. Tan, A. Ahn, and J. Taylor. 2012. P02.61. Does yogic breathing (pranayama) improve cardiovascular control? BMC Complementary and Alternative Medicine 12(Suppl. 1): P117.

Published Version

doi:10.1186/1472-6882-12-S1-P117

Permanent link

<http://nrs.harvard.edu/urn-3:HUL.InstRepos:10419472>

Terms of Use

This article was downloaded from Harvard University's DASH repository, and is made available under the terms and conditions applicable to Other Posted Material, as set forth at <http://nrs.harvard.edu/urn-3:HUL.InstRepos:dash.current.terms-of-use#LAA>

Share Your Story

The Harvard community has made this article openly available.
Please share how this access benefits you. [Submit a story](#).

[Accessibility](#)

POSTER PRESENTATION

Open Access

P02.61. Does yogic breathing (pranayama) improve cardiovascular control?

S Bertisch^{1*}, C Tan², A Ahn³, J Taylor²

From International Research Congress on Integrative Medicine and Health 2012
Portland, Oregon, USA. 15-18 May 2012

Purpose

One proposed mechanism by which meditative practices improve cardiovascular health is via shifting sympathovagal balance. Yet few studies have examined the effects of these practices upon autonomic cardiovascular control. In this context, we hypothesized that yogic breathing differentially impacts heart period (RR-interval) and systolic blood pressure fluctuations compared with paced breathing at 15 breaths/minute.

Methods

We enrolled five healthy advanced yoga practitioners from diverse traditions. We continuously measured heart rate, beat-by-beat blood pressure, respiratory rate, inspiratory volume, and end-tidal CO₂ during paced breathing (10 minutes) and yogic breathing (20 minutes). For yogic breathing, practitioners performed a deep breathing pranayama of their choice. We performed standard time and frequency domain analyses.

Results

In this group of practitioners, yogic breathing was characterized by a mean respiratory rate of 4.32 ± 1.87 breaths/min, mean minute ventilation of 6.09 ± 4.17 L/min, and mean end-tidal CO₂ of 39.98 ± 7.07 mmHg compared with a mean respiratory rate of $15.0 \pm .60$ breaths/min, minute ventilation of 8.66 ± 2.25 L/min, and mean end-tidal CO₂ of 32.68 ± 5.22 mmHg during paced breathing. The strength of the relationship (coherence) between respiration and heart period and respiration and systolic blood pressure did not differ between breathing patterns ($p=0.74$ and $p=0.14$). However, we found increased gain between respiration and heart period fluctuations (400.00 ± 154.19 msec/L vs 36.65 ± 10.32 mmHg/L, $p=0.02$) and between respiration and systolic blood

pressure fluctuations (15.97 ± 9.32 msec/L vs 1.68 ± 0.68 mmHg/L, $p=0.02$) during yogic breathing compared with paced breathing.

Conclusion

Yogic breathing was associated with increased gain compared with paced breathing. Whether the larger gain relation between respiration and cardiovascular fluctuations during yogic breathing represents baroreflex modulation or is due to enhanced entrainment through repetitive practice remains to be established. However, these preliminary findings may explain some of yoga's reported cardiovascular benefits.

Author details

¹Beth Israel Deaconess Medical Center, Boston, USA. ²Spaulding Rehabilitation Hospital, Harvard Medical School, Boston, USA. ³Massachusetts General Hospital, Harvard Medical School, Boston, USA.

Published: 12 June 2012

doi:10.1186/1472-6882-12-S1-P117

Cite this article as: Bertisch et al.: P02.61. Does yogic breathing (pranayama) improve cardiovascular control? *BMC Complementary and Alternative Medicine* 2012 12(Suppl 1):P117.

Submit your next manuscript to BioMed Central and take full advantage of:

- Convenient online submission
- Thorough peer review
- No space constraints or color figure charges
- Immediate publication on acceptance
- Inclusion in PubMed, CAS, Scopus and Google Scholar
- Research which is freely available for redistribution

Submit your manuscript at
www.biomedcentral.com/submit



¹Beth Israel Deaconess Medical Center, Boston, USA

Full list of author information is available at the end of the article